

**MSDS - Material Safety Data Sheet****Product Name: SOLDER SEAL/GUNK ENGINE BRITE ZERO V.O.C. ENGINE DEGREASER**

MSDS No.: EBZ14

**I. Basic Information:****Manufacturer:** RADIATOR SPECIALTY COMPANY**Contact:** Robert Geer**Address:** 600 RADIATOR ROAD**Information Telephone Number:** 704-684--181 1**City, ST Zip:** INDIAN TRAIL, NC 28079**Emergency Contact:** Rocky Mountain Poison Control Center**Country:****Emergency Telephone Number:** 303-623-5716**Emergency Restrictions:****Product Name:** SOLDER SEAL/GUNK ENGINE BRITE ZERO V.O.C. ENGINE DEGREASER**MSDS No.:** EBZ14**Issue Date:** 07/10/2009**Supersedes Date:** 01/02/2008**II. Hazards Identification:****EMERGENCY OVERVIEW**

Danger: Harmful or fatal if Swallowed. Eye and Skin Irritant

Level 3 Aerosol

**OSHA Regulatory Status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Potential Health Effects****Route(s) of Entry:**

Absorption, Inhalation, and Ingestion.

**Health Hazards (Acute and Chronic):**

See signs and symptoms below.

**Signs and Symptoms:**

Eye Contact: Irritant. Prolonged contact may cause conjunctivitis.

Skin Contact: Irritant. Defatting of tissue, dermatitis may occur.

Inhalation: Irritant to mucous membranes. Repeated exposure may cause narcosis..

Ingestion: HARMFUL OR FATAL IF SWALLOWED. May cause burns to mouth, throat &amp; stomach.

Eye Contact: Irritant. Prolonged contact may cause conjunctivitis.

Skin Contact: Irritant. Defatting of tissue, dermatitis may occur.

Inhalation: Irritant to mucous membranes. Repeated exposure may cause narcosis..

Ingestion: HARMFUL OR FATAL IF SWALLOWED. May cause burns to mouth, throat &amp; stomach.

**Medical Conditions Generally Aggravated by Exposure:**

Aggravates preconditions with lungs, kidneys and skin.

**Other Health Warnings:**

Vomiting and subsequent aspiration into the lungs may lead to chemical pneumonia

**Potential Environmental Effects**

Not Available

**III. Composition/Information on Ingredients:**

Chemical Name	CAS No.	% Range	Trade Secret
Carbon dioxide	124-38-9	5.0 - 10.0	
Isopropylamine Dodecylbenzene Sulfonate	26264-05-1	1.0 - 5.0	
Low Odor Base Solvent	Proprietary	60.0 - 100.0	
Parachlorobenzotrifluoride	98-56-6	5.0 - 10.0	
Tripropylene Glycol Monomethyl Ether	25498-49-1	1.0 - 5.0	

## ***MSDS - Material Safety Data Sheet***

### ***Product Name: SOLDER SEAL/GUNK ENGINE BRITE ZERO V.O.C. ENGINE DEGREASER***

***MSDS No.: EBZ14***

#### ***IV. First Aid Measures:***

##### **Emergency and First Aid Procedures:**

Eye Contact: Flush eyes with clean water for 15 minutes while lifting eyelids. Get prompt medical attention.

Skin Contact: Wash with soap and water thoroughly. If adverse effects persist, get prompt medical attention. Launder contaminated clothing before reuse.

Inhalation: Remove to fresh air. If breathing becomes difficult get prompt medical attention.

Ingestion: DO NOT INDUCE VOMITING! Call Poison Control Center, physician, or hospital emergency room immediately.

##### **Note to Physicians:**

N/E

#### ***V. Fire Fighting Measures:***

##### **Suitable Extinguishing Media:**

Water Fog, Foam, Carbon Dioxide, Dry Chemical

##### **Unsuitable Extinguishing Media:**

Do not use forced water stream as this could cause the fire to spread.

##### **Products of Combustion:**

Aldehydes, carbon dioxide, carbon monoxide and various hydrocarbons.

##### **Protection of Firefighters:**

Wear self-contained positive pressure breathing apparatus and protective clothes. Use shield to protect from rupturing and venting containers. At elevated temperatures containers may vent, rupture or burst, even violently

#### ***VI. Accidental Release Measures:***

##### **Personal Precautions:**

Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

##### **Environmental Precautions:**

Prevent run-off to sewers, streams, or other bodies of water. If run-off occurs, notify proper authorities as required that a spill has occurred. Run off to sewer may create fire or explosion hazard.

##### **Methods for Containment:**

Dike or contain spill and absorb with inert materials (sand, sawdust, absorbent sweeping compounds, rags, etc).

##### **Methods for Cleanup:**

Using a non-metallic scoop, place contaminated material into an approved chemical waste container. Where possible, vacuum spilled liquid using an explosion proof vacuum to recover material.

##### **Other Information:**

Eliminate all ignition sources. If run-off occurs, notify proper authorities as required that a spill has occurred.

#### ***VII. Handling and Storage:***

##### **Handling Precautions:**

Handling: Use with adequate ventilation and proper protective equipment.

##### **Storage Precautions:**

Keep container closed tightly when not in use. Combustible. Store in a cool place below 120 F away from ignition sources and oxidizing agents.

#### ***VIII. Exposure Controls/Personal Protection:***

## *MSDS - Material Safety Data Sheet*

### ***Product Name: SOLDER SEAL/GUNK ENGINE BRITE ZERO V.O.C. ENGINE DEGREASER***

***MSDS No.: EBZ14***

<b>Chemical Name</b>	<b>OSHA PEL</b>	<b>ACGIH TLV</b>	<b>Other Limits</b>
Low Odor Base Solvent	N/E	N/E	Not Available
Tripropylene Glycol Monomethyl Ether	N/E	N/E	Not Available
Parachlorobenzotrifluoride	N/E	N/E	Not Available
Carbon dioxide	N/AV	5000 ppm	Not Available
Isopropylamine Dodecylbenzene Sulfonate	Not Available	Not Available	Not Available

#### **Engineering Controls:**

See Section above for applicable exposure limits. Maintain adequate ventilation.

Avoid breathing vapors. In restricted areas, use approved chemical filters designed to remove vapor. In confined areas, use approved air line type respirator or hood. A self-contained breathing apparatus is required for vapor concentrations above TLV limit

#### **Personal Protective Equipment:**

For prolonged exposure wear protective safety glasses, gloves, and apron.

### ***IX. Physical and Chemical Properties:***

**Boiling Point:** 460°F

**Boiling Range:** N/D

**Solubility In Water:** soluble

**Flash Point:** 144°F

**Odor Threshold:** N/D

**Vapor Density (AIR = 1):** N/D

**pH Range:** N/A

**Decomposition Temp:** N/A

**Lower Explosive Limit:** N/A

**Specific Gravity (H2O = 1):** 0.83

**Other Information:** VOC Content: 0

**Melting Point:** N/D

**Freezing Point:** N/D

**Evaporation Rate (Butyl Acetate = 1):** N/D

**Flash Point Method:** TCC

**Appearance and Odor:** Clear liquid with petroleum odor

**Vapor Pressure (mm Hg.):** N/D

**Partition Coefficient:** N/D

**Auto-Ignition Temp:** N/A

**Upper Explosive Limit:** N/A

### ***X. Stability and Reactivity:***

#### **Stability:**

Stable

#### **Conditions to Avoid:**

See Incompatible materials below

#### **Incompatible Materials:**

Oxidizing agent

#### **Hazardous Decomposition Products:**

Aldehydes, carbon dioxide, carbon monoxide and various hydrocarbons

#### **Possibility of Hazardous Reactions:**

Will not occur

### ***XI. Toxicological Information:***

N/D

**MSDS - Material Safety Data Sheet****Product Name: SOLDER SEAL/GUNK ENGINE BRITE ZERO V.O.C.  
ENGINE DEGREASER**

MSDS No.: EBZ14

**XII. Ecological Information:**

N/D

**XIII. Disposal Considerations:**

DISPOSAL: This container may be recycled in aerosol recycling centers when empty. Before offering for recycling, empty the can by using the product according to the label. DO NOT PUNCTURE! If recycling is not available, wrap the container and discard in the trash. Dispose of unused product in accordance with all local, state government and federal laws and regulations.

**XIV. Transport Information:****Shipping Name:** Not Available**DOT Hazard Class:** Not Available**DOT Subsidiary Hazard Class:** Not Available**UN/NA#:** Not Available**Packing Group:** Not Available**Transportation Information:**

DOT Hazard Class: ORM-D

Shipping Name: Consumer Commodity

The DOT description is provided to assist in the proper shipping classification of this product and may not be suitable for international and air shipping purposes.

ICAO/IATA (US)

Shipping Name: Aerosols

Class: 2.1

UN number: UN1950

CAO/IATA

UN number: UN1950

Shipping Name: Aerosols

Class: 2.1

IMDG

UN number: UN1950

Shipping Name: Aerosols

Class: 2.1

EmS: F-D, S-U

**XV. Regulatory Information:**

SARA 313 Reportable Chemicals:

None

USA TSCA: All components of this material are listed on the US TSCA Inventory.

State RTK Chemicals:

None

# MSDS - Material Safety Data Sheet

## Product Name: **SOLDER SEAL/GUNK ENGINE BRITE ZERO V.O.C. ENGINE DEGREASER**

MSDS No.: **EBZ14**

**XVI. Other Information:**


**Chemical State:**     Liquid     Gas     Solid  
**Chemical Type:**     Pure     Mixture  
**Hazard Category:**  
                           Acute             Chronic             Fire  
                           Pressure             Reactive



**Additional Manufacturer Warnings:**

Do not used in confined area without proper ventilation. Contact lenses may cause further damage in case of splash into eye. **KEEP AWAY FROM CHILDREN AND ANIMALS!**

N/E: Not Established  
 N/D: Not Determined  
 N/A: Not Applicable



**Additional Product Information:**

While Radiator Specialty Company believes this data is accurate as of the revision date, we make no warranty with respect to the data and we expressly disclaim all liability for reliance thereon. The data is offered solely for information, investigation, and verification. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this MSDS. The user is responsible for full compliance.