

PRODUCT INFORMATION



**ENGINE CLEAN
ENVIRONMENTALLY RESPONSIBLE
ENGINE CLEANER**

| | |
|-------------|--------------|
| CODE | AEC-1 |
| PAGE | 1 of 1 |
| DATE | January 2008 |

FUNCTION & APPLICATION: An environmentally responsible aerosol cleaner that quickly removes dirt and grime from auto, marine, and farm engines. Cleans agricultural, construction, and industrial machinery.

OUTSTANDING PROPERTIES: Safe on all under-hood rubber, plastic, or paint when used as directed.

USE DIRECTIONS: 1) Remove air cleaner. Cover carburetor throat, distributor, and other electronic components with plastic film. No pre-warming of engine is necessary, except on very cold days (below 40°F.). 2) Shake can well, then generously spray engine. Spray dirtiest parts first. Avoid overspraying onto external car finish. 3) Allow ENGINE CLEAN to soak into dirt and grime for about five minutes. 4) Hose off thoroughly with a strong stream of water. Collect and dispose of rinsate in accordance with all local laws and regulations. If necessary, reapply to wet surfaces. 5) With rinsing complete, remove covers from carburetor and electrical components. Replace air cleaner. Start engine immediately and idle for 5 to 10 minutes to assure complete drying.

PRECAUTIONS: Contains (CAS#): 2-butoxyethanol (111-76-2), aromatic petroleum naphtha (64742-95-6), petroleum base oil (8008-20-6), isobutane (75-28-5) and propane (74-98-6). Harmful or fatal if swallowed. Eye and skin irritant. Excessive breathing of vapor may be harmful. **FIRST AID:** If swallowed, DO NOT INDUCE VOMITING! Call Poison Control Center, Physician, or Hospital Emergency Room Immediately. In case of eye contact, flush thoroughly with water for 15 minutes while lifting eyelids and get prompt medical attention. Get prompt medical attention if adverse effects persist. For skin contact, wash thoroughly with soap and water. Remove contaminated clothing and launder before re-use. For Inhalation: remove to fresh air. If breathing becomes difficult, get prompt medical attention.

STORAGE & HANDLING: Contents under pressure. Do not expose to heat, sparks, open flame or store at temperatures above 120°F. Do not puncture or incinerate containers. Keep away from children and animals. Wearing contact lenses while working with this product is inadvisable.

DISPOSAL: Dispose of container, residue, and excess product in accordance with all federal, state, and local laws and regulations. Where permitted, dispose of in sanitary sewer systems. Never pour onto ground or into storm or septic sewer systems.

CONTAINER DESCRIPTION: This product is available in 18-ounce aerosol containers.

Radiator Specialty Company

600 Radiator Road, Indian Trail, NC 28079-5225 / 704-821-7643, 877-GO-4-GUNK

NOTICE: While this information is presented in good faith and believed to be accurate, Radiator Specialty Company does not guarantee satisfactory results from reliance thereon. The data is offered solely for your information and Radiator Specialty Company disclaims all liability for any loss or damage from its use. Thoroughly test any application according to the product directions and independently conclude satisfactory performance. Nothing contained herein is to be construed as a recommendation to use the product in violation of any patent.