

PRODUCT INFORMATION



RADIATOR PRESSURE SEAL

CODE	C1253
PAGE	1 of 1
DATE	JAN 2008

FUNCTION AND APPLICATION: Stops leaks in radiator instantly and **prevents new leaks** from developing. Works in both water and antifreeze solutions. Draining and flushing upon addition is not necessary, unless system is extremely corroded and dirty. Contains rust inhibitor. Will not harm metal, rubber hoses, gaskets or any part of the cooling system. For use on cars, tractors, or, trucks.

OUTSTANDING PROPERTIES: Although sold as a temporary repair, often seals leaks permanently.

USE DIRECTIONS: Start motor with radiator nearly full and cap loose. When engine is hot, pour contents into radiator gradually. Run engine for a few minutes until all leaks stop. **DO NOT POUR ON A HOT CORE.** Caution: Never remove pressure cap from a hot engine. Burns may result from contents spewing over and causing injury.

PRODUCT LIMITATIONS: Will not stop major leaks or solve major mechanical problems.

PRECAUTIONS: Avoid inhaling dust. May be eye irritant and skin irritant on prolonged exposure.
FIRST AID: In case of eye contact, flush with water for at least 15 minutes while lifting eyelids and get prompt medical attention. For skin contact, wash with soap and water. If ingested, drink water. Call Poison Control Center, Physician, or Hospital Emergency Room Immediately.

STORAGE & HANDLING: Store in a cool place below 120⁰F, away from acids, ignition sources and oxidizing agents. The wearing of contact lenses while working with this product is inadvisable. Keep out of reach of children and animals.

DISPOSAL: Dispose of container, residue, and excess product in accordance with all federal, state, and local laws and regulations.

CONTAINER DESCRIPTION: This product is available in 3 oz can size.

Radiator Specialty Company

600 RADIATOR ROAD, INDIAN TRIAL, N.C. 28079-5225 / 704-821-7643 / 877-GO-4-GUNK

NOTICE: While this information is presented in good faith and believed to be accurate, Radiator Specialty Company does not guarantee satisfactory results from reliance thereon. The data is offered solely for your information and Radiator Specialty Company disclaims all liability for any loss or damage from its use. Thoroughly test any application according to the product directions and independently conclude satisfactory performance. Nothing contained herein is to be construed as a recommendation to use the product in violation of any patent.